

Seminar: Locally analytic vector bundles on the Farques-Fontaine-curve

AG Venjakob

Summer semester 25

ORGANISATION: We meet every Thursday at 11:15 in SR 8 (Mathematikon).
Online participation is possible - please contact us for the Zoom data.

CONTACT: Marvin Schneider, mschneider@mathi.uni-heidelberg.de
Otmar Venjakob, otmar@mathi.uni-heidelberg.de

Overview

The aim is to study [Po1], in which a Sen theory for equivariant vector bundles on the Fargues-Fontaine curve is developed. Let K/\mathbb{Q}_p be a finite extension and consider the category $\text{Rep}_{\mathbb{Q}_p}(G_K)$ of finite-dimensional \mathbb{Q}_p representations of G_K . On the one hand, "the analytic dogma" - there is a fully faithful embedding

$$\text{Rep}_{\mathbb{Q}_p}(G_K) \hookrightarrow \Phi\Gamma(\mathcal{R})$$

in the category $\Phi\Gamma(\mathcal{R})$ of (φ, Γ) -modules over the Robba ring \mathcal{R} . Here $\Gamma = \text{Gal}(K_\infty/K)$ denotes the Galois group of the p -cyclotomic extension K_∞ of K .

On the other hand, - "the geometric dogma" - there is a fully faithful embedding

$$\text{Rep}_{\mathbb{Q}_p}(G_K) \hookrightarrow VB_\Gamma(\mathcal{X})$$

into the category $VB_\Gamma(\mathcal{X})$ of Γ -equivariant vector bundles on the Fargues-Fontaine curve \mathcal{X} . In fact, Fargues and Fontaine show that there is an equivalence

$$\Phi\Gamma(\mathcal{R}) \cong VB_\Gamma(\mathcal{X}) \tag{1}$$

compatible with each of the aforementioned embeddings of $\text{Rep}_{\mathbb{Q}_p}(G_K)$. This links the analytic and geometric perspectives.

Theorem A, the main result of the article - states that taking the locally analytic vectors within an equivariant vector bundle on \mathcal{X} gives rise to an equivalence of categories

$$VB_\Gamma(\mathcal{X}) \cong VB^{l.a.}(\mathcal{X})$$

of $VB_\Gamma(\mathcal{X})$ with the category $VB^{l.a.}(\mathcal{X})$ of locally analytic vector bundles on \mathcal{X} , which recovers Sen-theory and should be compared via (1) to the decompletion of (φ, Γ) -modules in the

style of the famous theorem of Cherbonnier and Colmez stating that any (φ, Γ) -module is overconvergent.

This framework leads - again via (1) - to a geometric interpretation (Theorem B) of a result of Berger, which we get to know during the seminar. From a technical point of view, Theorem C is of independent interest in investigating the vanishing of higher derivatives of the functor "taking locally analytic vectors".

The Talks

The first 3 talks have the task to give a survey on vector bundles on the Fargues-Fontaine curve with its relation to (φ, Γ) -modules. Give proofs only where explicitly required or if they are instructive and time permits. The speakers of these mini-series should coordinate among each other.

Talk 1: The adic Fargue-Fontaine curve – ??? (24.4.)

Explain [F, §1-2] (Assume F algebraically closed, if necessary) and cover [Po1, 3A,3B], compare also [Durham, §1-5] for more details or [FF, Preface §3] respectively [SW, §13.5]. Give a proof of [FF, Prop. 10.1.1].

Talk 2: (Equivariant) vector bundles – ??? (8.5.)

Explain [F, 3.1,3.2] (Assume F algebraically closed, if necessary), parts of [Beijing, §1, 6] or [FF, Preface §4-5] (e.g. Thm. 4.7, Rem. 4.9,) and cover [Po1, 3C], compare also [Durham, 6.1-6.3] for more details.

Talk 3: Comparison to (φ, Γ) -modules – Marvin Schneider (15.5.)

Cover [Po1, 7A] and compare with [FF, Preface §4-5] (e.g. Thm. 5.9, Rem. 5.10). Explain Example 3.4 of [Po1] in detail. Prove Proposition 7.2 in [Po1] using the discussion before [SW, Def. 13.4.3] and sketch the proof of [Po1, Theorem 7.3], see also [KL, Thm. 9.5.8].

Talk 4: Locally analytic vectors – Anna Blanco-Cabanillas (22.5.)

Start by defining (higher) locally analytic vectors as in [Po1, §2] and explain the spectral sequences [Po1, Proposition 2.5.], without giving a detailed proof. Then move on and cover [Po1, §4a+b]. The focus should be on providing the proof of the flatness result [Po1, Proposition 4.2].

Talk 5: Locally analytic vector bundles – Otmar Venjakob (12.6.)

Cover [Po1, §4c] and explain the proof of [Po1, Proposition 4.8.] in detail.

Talk 6: Acyclicity of locally analytic vectors – ??? (26.6.)

Provide a survey of the CST method and strategy of proof in [Po1, §5]. One could also report on the stronger result from [Po2].

Talk 7: Descent to locally analytic vectors – Max Witzelsperger (3.7.)

The goal of this talk is to provide a proof of the first main result [Po1, Theorem 6.1] in as much detail as possible. This is done in [Po1, §6].

Talk 8: Locally analytic vector bundles and p -adic differential equations – Ruth Wild (10.7.)

The first goal of this talk is to extend the results of talk 3 using the results of the previous talk. This is done in [Po1, §7b], especially [Po1, Theorem 7.5]. The second part of the talk should focus on covering [Po1, §8a-8d]. For some motivation for the material, it might be helpful to consult [Ber08].

Talk 9: The solution functor and Theorem B – ??? (17.7.)

Goal of this talk is to cover [Po1, §8e] and provide a proof of [Po1, Theorem 8.12]. The speaker should also look at [Ber08] and try to provide some motivation for the main result.

References

- [Po1] Porat, Gal, *Locally analytic vector bundles on the Fargues-Fontaine curve*, Algebra & Number Theory Vol. 18, <http://dx.doi.org/10.2140/ant.2024.18.899>
- [Po2] Porat, Gal. *Locally analytic vectors and decompletion in mixed characteristic*. arXiv preprint arXiv:2407.19791 (2024).<https://doi.org/10.48550/arXiv.2407.19791>
- [SW] Scholze, Peter; Weinstein, Jared. *Berkeley lectures on p -adic geometry*. Annals of Mathematics Studies, 207. Princeton University Press, Princeton, NJ, 2020.
- [FF] Fargues, Laurent; Fontaine, Jean-Marc. *Courbes et fibrés vectoriels en théorie de Hodge p -adique*. With a preface by Pierre Colmez. Astérisque No. 406 (2018)
- [F] Fargues L.: *Quelques resultats et conjectures concernant la courbes*. <http://webusers.imj-prg.fr/~laurent.fargues/AuDela.pdf>
- [Beijing] Fargues, Laurent; Fontaine, Jean-Marc. *Vector bundles and p -adic Galois representations*. Fifth International Congress of Chinese Mathematicians. Part 1, 2, 77–113, AMS/IP Stud. Adv. Math., 51, pt. 1, 2, Amer. Math. Soc., Providence, RI, 2012.
- [Durham] Fargues, Laurent; Fontaine, Jean-Marc. *Vector bundles on curves and p -adic Hodge theory*. Automorphic forms and Galois representations. Vol. 2, 17–104, London Math. Soc. Lecture Note Ser., 415, Cambridge Univ. Press, Cambridge, 2014
- [KL] Kedlaya, Kiran S.; Liu, Ruochuan. *Relative p -adic Hodge theory: foundations*. Astérisque No. 371 (2015)
- [Ber08] Berger, L. Equations différentielles p -adiques et (ϕ, N) -modules filtrés. *HAL* (2008)